

Courant Institute of
Mathematical Sciences

The Brink Depth of a
Supercritical Overfall

A. S. Peters

Prepared under Contract N00014-67-A-0467-0016
with the Office of Naval Research NR 062-160

Distribution of this document is unlimited.



New York University

New York University
Courant Institute of Mathematical Sciences

NEW YORK UNIVERSITY
COURANT INSTITUTE-LIBRARY

THE BRINK DEPTH OF A SUPERCRITICAL OVERFALL

A. S. Peters

This report represents results obtained at the Courant Institute of Mathematical Sciences, New York University, with the Office of Naval Research, Contract N00014-67-A-0467-0016. Reproduction in whole or in part is permitted for any purpose of the United States Government.

Distribution of this document is unlimited.

Abstract

This report contains a first order analysis of the supercritical flow in an overfall based on the use of the stream line function as the basic dependent variable. It presents approximate equations for the nappes; and the formula

$$f^*(1;\epsilon) = \frac{1}{2} \left[\frac{1}{\sqrt{1+2\epsilon}} + \sqrt{\frac{1+\epsilon^2(.314)}{1+\epsilon^2(.772)}} \right]$$

where

$$\epsilon = \frac{ga}{u^2} ,$$

g is the gravitational acceleration, a is the upstream depth and u is the velocity there. This formula is a good approximation to the brink depth ratio b/a for the range $0 \leq \epsilon \leq 1$.

1. Introduction

This report is concerned with the supercritical flow in a two-dimensional overfall. The analysis is based on the use of the stream line function

$$y = \bar{f}(x, \gamma) .$$

This function is such that if the stream function is $\psi(x, y)$ so that the stream lines are given implicitly by

$$\psi(x, y) = \gamma ,$$

then

$$\psi(x, \bar{f}(x, \gamma)) \equiv \gamma$$

is identically satisfied.

If the acceleration due to gravity is g , if the upstream depth is a , and if the velocity there is u , then the flow is said to be critical if $\epsilon = ga/u^2$ is equal to 1. We suppose that ϵ is small so that the upstream velocity ($u \gg \sqrt{ga}$) of the flow is supercritical. Such a flow can prevail in a region of space where g is small compared with a and u . It can obviously also prevail if u is sufficiently large, or if a is so small that the overfall is nearly a falling sheet.

We show below that the stream line function must satisfy a nonlinear partial differential equation defined in an infinite strip, and that it must satisfy nonlinear boundary conditions along the sides of the strip. Since these boundary conditions involve the

small parameter ϵ , we assume that $\bar{F}(x, \gamma)$ can be approximated, at least asymptotically, by an expansion in integral powers of ϵ .

The development which follows is confined to an analysis and discussion of the first order approximation and what it yields with respect to the shapes of the free surfaces and the brink depth of the overfall. A formula which is derived for the brink depth ratio, namely,

$$f^*(1; \epsilon) = \frac{1}{2} \left[\frac{1}{\sqrt{1+2\epsilon}} + \sqrt{\frac{1+\epsilon^2(.314)}{1+\epsilon^2(.772)}} \right]$$

appears to be a good approximation in the range $0 \leq \epsilon \leq 1$. According to this formula the brink depth ratio for critical flow is .719. This is close to .708, the average of six approximations based on different procedures developed by various investigators.

2. Formulation

A two-dimensional waterfall or free overfall is defined by its flow in a plane perpendicular to its linear edge. Figure 2.1




Fig. 2.1

shows such a flow referred to a rectangular coordinate system whose origin is at the brink. The negative part of the x-axis coincides with the sill or bottom L_1 and the y-axis is positive upwards. The domain D of the cross sectional flow is bounded by L_1 ; and the curves Γ_1 and Γ_2 which define the free surfaces or nappes of the overfall.

The difficult basic problem is to deduce the shapes of Γ_1 and Γ_2 as consequences of the assumptions that gravitational attraction is the only body force acting and that the flow is a steady irrotational one of an inviscid, incompressible fluid whose density δ is

constant. If \underline{v} is the velocity vector, conservation of mass requires $\nabla \cdot \underline{v} = 0$ and this with the vorticity condition, $\nabla \times \underline{v} = 0$, insures the existence of a function of the complex variable $z = x + iy$, namely the complex velocity potential,

$$(2.1) \quad w = \phi(x,y) + i\psi(x,y) = F(z)$$

which is analytic for z in D . This function is such that the gradient of its real part gives the velocity vector $\underline{v} = \nabla \operatorname{Re} F(z) = \nabla \phi$; and such that its imaginary part, $\psi(x,y) = \operatorname{Im} F(z)$, is the stream function for the flow. In other words, the horizontal and vertical velocity components are given respectively by the real and imaginary parts of

$$\overline{F'(z)} = \phi_x - i\psi_x = \psi_y + i\phi_y .$$

If \underline{n} is the unit outward normal to the boundary of D and if s denotes arc length along the boundary, then the kinematic boundary condition requires that the normal velocity

$$\phi_n = \psi_s$$

must be zero along L_1 , Γ_1 and Γ_2 . It follows from this, by integration with respect to s , that L_1 plus Γ_1 constitutes a stream line which we can assume is defined by the level curve

$$\psi(x,y) = 0 .$$

With this, the upper nappe curve Γ_2 is defined by level curve

$$\psi(x,y) = h = au$$

where a is the upstream depth of the flow at $x = -\infty$, and u is the velocity there. In addition to the kinematic boundary condition, the energy integral of the momentum equation

$$\begin{aligned} \delta \frac{dv}{dt} &= \delta \left(\frac{\partial \underline{v}}{\partial t} + \underline{v} \cdot \nabla \underline{v} \right) = \delta \underline{v} \cdot \nabla \underline{v} \\ &= \frac{\delta}{2} [\nabla \underline{v} \cdot \underline{v} - \underline{v} \times \nabla \times \underline{v}] \\ &= \frac{\delta}{2} \nabla \underline{v} \cdot \underline{v} = -\nabla p - g\delta \nabla y \end{aligned}$$

namely,

$$(2.2) \quad \phi_x^2 + \phi_y^2 + \frac{2p}{\delta} + 2gy = c$$

must be satisfied along Γ_1 and Γ_2 . In this equation g denotes the gravitational acceleration and p denotes the pressure in the fluid. Since the flow is supposed to be steady the constant c remains the same no matter where the left-hand side is evaluated. Therefore with

$$\phi_x(-\infty, y) = u$$

$$\phi_y(-\infty, y) = 0$$

$$p(-\infty, a) = p_a$$

we have

$$(2.3) \quad c = u^2 + 2ga + \frac{2p_a}{\delta}.$$

In what follows we assume that the pressure on each nappe is constant and equal to p_a .

Although the domain D is not known at the outset we can work with a fixed domain in the $w = \phi + i\psi$ plane if we introduce the inverse function

$$(2.4) \quad z = x(\phi, \psi) + iy(\phi, \psi) = G(w) .$$

Under the mapping from the z -plane to the w -plane, D is mapped into the strip defined by

$$0 < \psi = \text{Im } \dot{w} < h = au ; \quad -\infty < \phi = \text{Re } w < \infty ,$$

and we can choose the origin of the w -plane to be the image of the origin of the z -plane. With the origin fixed in this way the images of L_1 , Γ_1 and Γ_2 are respectively M_1 , Σ_1 and Σ_2 as shown in Figure 2.2. Since there are no stagnation points in the overfall, the




Fig. 2.2

function $G(w)$ must be analytic in S and we have

$$\begin{aligned}\frac{dz}{dw} &= G'(w) = x_\phi + iy_\phi = -ix_\psi + y_\psi \\ &= \frac{1}{\frac{dw}{dz}} = \frac{1}{\phi_x + i\psi_x} = \frac{1}{\phi_x - i\phi_y} = \frac{\phi_x + i\phi_y}{\phi_x^2 + \phi_y^2}\end{aligned}$$

from which

$$G'(w)\overline{G'(w)} = |G'(w)|^2 = x_\phi^2 + y_\phi^2 = \frac{1}{\phi_x^2 + \phi_y^2}$$

and

$$\phi_x = \frac{\operatorname{Re} G'(w)}{|G'(w)|^2} ; \quad \phi_y = \frac{\operatorname{Im} G'(w)}{|G'(w)|^2} .$$

These relations with (2.2) and (2.3) show that $G(w)$ must satisfy the following boundary conditions:

$$\begin{aligned}\operatorname{Im} G'(\phi) &= 0 , & \phi < 0 ; \\ \frac{1}{|G'(\phi)|^2} + 2g \operatorname{Im} G(\phi) &= u^2 + 2ga , & \phi > 0 ; \\ \frac{1}{|G'(\phi + ih)|^2} + 2g \operatorname{Im} G(\phi + ih) &= u^2 + 2ga , & -\infty < \phi < \infty .\end{aligned}$$

We can now use the transformation

$$w = m(\zeta)$$

to map S into any domain we think may be helpful for the analysis. (For a strictly numerical analysis, a mapping of S into a rectangle offers some advantages.) In a previous report, [1], the author used

$$w = m(\zeta) = \frac{h}{\pi} \ln \left(-\frac{1}{\zeta} \right) .$$

This maps S into the upper half of the ζ -plane and gives

$$G(w) = G\left[\frac{h}{\pi} \ln \left(-\frac{1}{\xi}\right)\right] = \Omega(\xi) = a_1 + a\omega(\xi) .$$

In [1] a nonlinear integral equation was derived for the determination of $\omega(\xi)$ and then approximations were found for $G(w)$.

In the beginning the problem was to determine a function $F(z)$ analytic in an unknown domain D but subject to two boundary conditions along the unknown part of the boundary of D . We have seen how the dual boundary conditions enable us to transform the problem into one for the determination of a function $\Omega(\xi)$ analytic in a known domain but subject to a nonlinear boundary condition. The nature of the nonlinearity is such that the probability of finding $\Omega(\xi)$ in closed form is practically nil. We can only expect to find approximations for $\Omega(\xi)$ and hence $G(w)$. Note however that such approximations present approximations for the equations of Γ_1 and Γ_2 in terms of the parameter ϕ . For example, if $\tilde{G}(w)$ is an approximation to $G(w)$ then the approximate parametric equations for Γ_2 are

$$\tilde{x} = \operatorname{Re} \tilde{G}(\phi + ih)$$

$$\tilde{y} = \operatorname{Im} \tilde{G}(\phi + ih) .$$

This parametric representation is not an advantage when it comes to calculating the depth of the liquid at some prescribed distance from the edge of the overfall. One such depth, the brink depth b in Figure 2.1, is perhaps the most important single numerical value which is desired from an analysis of the overfall. In order to calculate this depth we must at least approximate the solution of the transcendental equation

$$0 = \operatorname{Re} \tilde{G}(\phi + ih) .$$

This kind of burden is of course inherent in the above kind of analysis and it must be carried whenever we wish to estimate hydrodynamic quantities at prescribed points in the overfall.

Instead of using ϕ and ψ as independent variables for the flow we can introduce the dimensionless quantities $\xi = x/a$, $f = y/a$, $\psi(x,y)/au = \psi(a\xi, af)/au = \eta$; and then use ξ and η as independent variables with f as the basic dependent quantity. The equation

$$(2.5) \quad \psi(a\xi, af) = \eta au$$

defines the stream lines implicitly. However, since there is no stagnation point in the flow we can solve (2.5) for af . This gives

$$(2.6) \quad \frac{y}{a} = f(\xi, \eta)$$

which, since it presents the stream lines in explicit form, can be called the stream line function. The range of ξ is from minus infinity to plus infinity and the range of η is from zero to one.

The dimensionless velocity components

$$\frac{v_1}{u} = \frac{\psi_y(x,y)}{u} = a\eta_y$$

and

$$\frac{v_2}{u} = - \frac{\psi_x(x,y)}{u} = -a\eta_x$$

can be found in terms of f by differentiating (2.6) with respect to y and x . We have

$$(2.7) \quad \begin{aligned} \frac{1}{a} &= f_n(\xi, \eta) \eta_y \\ 0 &= \frac{f_\xi(\xi, \eta)}{a} + f_\eta(\xi, \eta) \eta_x \end{aligned}$$

which give the dimensionless horizontal component of velocity

$$(2.8) \quad \frac{v_1}{u} = a \eta_y = \frac{1}{f_\eta(\xi, \eta)}$$

and the dimensionless vertical component

$$(2.9) \quad \frac{v_2}{u} = -a \eta_x = \frac{f_\xi(\xi, \eta)}{f_\eta(\xi, \eta)} .$$

The equation for f can be found by recalling that

$$\eta_{xx} + \eta_{yy} = 0 .$$

It turns out that f must satisfy the nonlinear equation

$$(2.10) \quad \frac{\partial}{\partial \xi} \left(\frac{f_\xi}{f_\eta} \right) - \frac{1}{2} \frac{\partial}{\partial \eta} \left(\frac{1 + f_\xi^2}{f_\eta^2} \right) = 0$$

or what is the same equation

$$(2.11) \quad (1 + f_\xi^2) f_{\eta\eta} + f_\eta^2 f_{\xi\xi} - 2 f_\xi f_\eta f_{\xi\eta} = 0 ,$$

in the strip S^* shown in Figure 2.3. Along L_1^* , $f(\xi, \eta)$ must satisfy




Fig. 2.3

$$(2.12) \quad f(\xi, 0) = 0 .$$

Along Γ_1^* and Γ_2^* , $f(\xi, \eta)$ must satisfy the condition which comes from (2.2), namely,

$$(2.13) \quad 1 + f_\xi^2 + (2\epsilon f - 1 - 2\epsilon)f_\eta^2 = 0$$

where

$$\epsilon = \frac{ga}{u^2}$$

is small when the flow is supercritical.

If ϵ is zero the equation (2.11) and the boundary conditions (2.12) and (2.13) are satisfied by

$$f(\xi, \eta) = \eta .$$

This corresponds to a simple parallel flow with velocity components

$$v_1 = u$$

$$v_2 = 0$$

and stream lines

$$y_0 = a\eta$$

If ϵ is small a plausible assumption is that $f(\xi, \eta) \equiv f(\xi, \eta; \epsilon)$ can be expanded in the form

$$(2.14) \quad \frac{y(\xi, \eta; \epsilon)}{a} = f(\xi, \eta; \epsilon) = \eta + \sum_{k=1}^{\infty} \epsilon^k f_k(\xi, \eta)$$

which is at least asymptotically valid provided ξ is bounded away from plus infinity where f is infinite. Our immediate objective now is to analyze some of the consequences of the above assumption.

3. First Order Approximation

If we substitute (2.14) in (2.11) and the boundary conditions (2.12), (2.13) and then equate coefficients of like powers of ϵ we are led to a sequence of linear elliptic boundary value problems for the f_k 's.

The function f_1 must satisfy the equation

$$(3.1) \quad f_{1\xi\xi}(\xi, \eta) + f_{1\eta\eta} = 0, \quad \begin{array}{l} -\infty < \xi < \infty, \\ 0 < \eta < 1 \end{array}$$

and the boundary conditions

$$(3.2) \quad \left\{ \begin{array}{l} f_1(\xi, 0) = 0, \\ f_{1\eta}(\xi, 0) = -1, \\ f_{1\eta}(\xi, 1) = 0, \end{array} \right. \quad \begin{array}{l} \xi < 0, \\ 0 < \xi, \\ -\infty < \xi < \infty. \end{array}$$

The function f_2 must satisfy the equation

$$(3.3) \quad f_{2\xi\xi}(\xi, \eta) + f_{2\eta\eta} = 2(f_{1\xi}f_{1\xi\eta} + f_{1\eta}f_{1\eta\eta}), \quad \begin{array}{l} -\infty < \xi < \infty, \\ 0 < \eta < 1 \end{array}$$

and the boundary conditions

$$(3.4) \quad \left\{ \begin{array}{l} f_2(\xi, 0) = 0, \\ f_{2\eta}(\xi, 0) = f_1(\xi, 0) + \frac{1}{2} f_{1\xi}^2(\xi, 0) + \frac{3}{2}, \\ f_{2\eta}(\xi, 1) = f_1(\xi, 1) + \frac{1}{2} f_{1\xi}^2(\xi, 1), \end{array} \right. \quad \begin{array}{l} \xi < 0, \\ \xi > 0, \\ -\infty < \xi < \infty. \end{array}$$

If we introduce the complex variable

$$\zeta = \xi + i\eta ,$$

then

$$f_1(\xi, \eta) = \operatorname{Re} F_1(\zeta)$$

where $F_1(\zeta)$ is analytic when ζ is in S^* . Along the boundary of S^* $F_1(\zeta)$ must satisfy the conditions

$$\operatorname{Re} F_1'(\xi) = 0 , \quad \xi < 0 ,$$

$$\operatorname{Im} F_1'(\xi) = 1 , \quad \xi > 0 ,$$

$$\operatorname{Im} F_1'(\xi + i) = 0 , \quad -\infty < \xi < \infty .$$

Since the velocity at the brink of the overfall is neither zero nor infinite, $F_1'(\zeta)$ must be bounded at $\zeta = 0$. We suppose that the singular behavior of $F_1'(\zeta)$ as $\xi \rightarrow +\infty$ is as mild as possible. An analysis then shows that the function which satisfies the above conditions is

$$(3.5) \quad F_1(\zeta) = \frac{1}{\pi} \int_0^\zeta \ln \left(\frac{\sqrt{1 - e^{-\pi\lambda}} - 1}{\sqrt{1 - e^{-\pi\lambda}} + 1} \right) d\lambda .$$

The first order approximation to the stream line function is

$$(3.6) \quad \frac{y_1(\xi, \eta; \varepsilon)}{a} = \eta + \varepsilon f_1(\xi, \eta) \\ = \eta + \frac{\varepsilon}{\pi} \operatorname{Re} \int_0^\zeta \ln \left(\frac{\sqrt{1 - e^{-\pi\lambda}} - 1}{\sqrt{1 - e^{-\pi\lambda}} + 1} \right) d\lambda .$$

As far as we know the integral in (3.6) is neither tabulated nor expressible as a finite combination of tabulated functions. However, various pertinent expansions and estimations can be found without much trouble.

The representation (3.6) can be expressed in the form

$$\begin{aligned} \frac{y_1}{a} &= \eta + \frac{\varepsilon}{\pi} \operatorname{Re} \int_0^{\xi} [\ell n (-e^{-\pi\lambda}) - 2 \ell n (\sqrt{1 - e^{-\pi\lambda}} + 1)] d\lambda \\ &= \eta + \frac{\varepsilon}{\pi} \operatorname{Re} \left\{ \begin{aligned} &\int_0^{\xi} [-\pi(\lambda - i) - 2 \ell n 2] d\lambda \\ &- 2 \int_0^{\infty} \ell n \left(\frac{\sqrt{1 - e^{-\pi\lambda}} + 1}{2} \right) d\lambda \\ &+ 2 \int_{\xi}^{\infty} \ell n \left(\frac{\sqrt{1 - e^{-\pi\lambda}} + 1}{2} \right) d\lambda \end{aligned} \right\}. \end{aligned}$$

Since

$$\begin{aligned} -2 \int_0^{\infty} \ell n \left(\frac{\sqrt{1 - e^{-\pi\lambda}} + 1}{2} \right) d\lambda &= -\frac{2}{\pi} \int_0^1 \ell n \left(\frac{\sqrt{1-t} + 1}{2} \right) \frac{dt}{t} \\ &= -\frac{2}{\pi} \int_0^1 \frac{\ell n (1-\sigma^2)}{1+\sigma} d\sigma \\ &= -\frac{2}{\pi} \ell n^2 2 + \frac{\pi}{6} \end{aligned}$$

we have

$$\frac{y_1}{a} = \eta + \frac{\varepsilon}{\pi} \operatorname{Re} \left\{ \begin{aligned} &-\frac{\pi\xi^2}{2} + (\pi i - 2 \ell n 2)\xi \\ &-\frac{2}{\pi} \ell n^2 2 + \frac{\pi}{6} + 2 \int_{\xi}^{\infty} \ell n \left(\frac{\sqrt{1 - e^{-\pi\lambda}} + 1}{2} \right) d\lambda \end{aligned} \right\}.$$

For $\operatorname{Re} \xi = \xi$ positive and large, the integral in the last expression

is small. Therefore, far downstream, we have the approximation

$$y_1 \sim a\eta + \frac{ga^2}{u^2\pi} \left\{ \begin{array}{l} -\frac{\pi}{2} \xi^2 + \frac{\pi}{2} \eta^2 - (2 \ln 2) \xi \\ -\pi\eta - \frac{2}{\pi} \ln^2 2 + \frac{\pi}{6} \end{array} \right\}$$

which shows that the stream lines are parabolic. In terms of the original abscissa $x = \xi a$ the parabolas are given by

$$y_1 \sim a\eta + \frac{ga^2}{u^2\pi} \left\{ \begin{array}{l} -\frac{\pi}{2} \frac{x^2}{a^2} + \frac{\pi}{2} \eta^2 - (2 \ln 2) \frac{x}{a} \\ -\pi\eta - \frac{2}{\pi} \ln^2 2 + \frac{\pi}{6} \end{array} \right\}.$$

If we let $a \rightarrow 0$ we find that the parabolas reduce to

$$y_1 = -\frac{gx^2}{2u^2}$$

which gives the shape of a thin heavy sheet of fluid projected horizontally from the brink with velocity u .

The first order approximation to the equation for the lower nappe of the overfall is

$$(3.7) \quad \frac{y_1}{a} = \frac{\varepsilon}{\pi} \operatorname{Re} \int_0^{\xi} \ln \left(\frac{\sqrt{1 - e^{-\pi\lambda}} - 1}{\sqrt{1 - e^{-\pi\lambda}} + 1} \right) d\lambda, \quad 0 < \xi.$$

If we use the substitution $\sqrt{1 - e^{-\pi\lambda}} = \sigma$, the representation (3.7) becomes

$$\frac{y_1}{a} = \frac{2\varepsilon}{\pi^2} \int_0^{\sqrt{1-e^{-\pi\xi}}} \frac{\sigma}{1-\sigma^2} \ln \left(\frac{1-\sigma}{1+\sigma} \right) d\sigma$$

which shows that the equation of the lower nappe can be expanded in powers of $\sqrt{1-e^{-\pi\xi}}$ if $0 \leq \xi < \infty$. We find that for the neighborhood of the brink the first order approximation for the lower nappe is

$$(3.8) \quad \frac{y_1}{a} = - \frac{4\varepsilon}{\pi^2} \sum_{n=1}^{\infty} \left(\sum_{k=1}^n \frac{1}{2k-1} \right) \frac{(1-e^{-\pi\xi})^{(2n+1)/2}}{2n+1} .$$

From this approximation, the slope of the lower nappe is zero at the brink but its curvature is infinite there.

The first order approximation for the brink depth ratio

$$\frac{b}{a} = f(0, 1; \varepsilon)$$

is

$$(3.9) \quad \frac{y_1(0, 1; \varepsilon)}{a} = 1 + \frac{\varepsilon}{\pi} \operatorname{Re} \int_0^i \ln \left(\frac{\sqrt{1-e^{-\pi\lambda}} - 1}{\sqrt{1-e^{-\pi\lambda}} + 1} \right) d\lambda .$$

This is the same as

$$\frac{y_1(0,1;\epsilon)}{a} = 1 + \frac{\epsilon}{\pi} \operatorname{Re} \left\{ \begin{aligned} & \int_{-\infty+i}^i \ln \left(\frac{\sqrt{1-e^{-\pi\lambda}}-1}{\sqrt{1-e^{-\pi\lambda}}+1} \right) d\lambda \\ & - \int_{-\infty}^0 \ln \left(\frac{\sqrt{1-e^{-\pi\lambda}}-1}{\sqrt{1-e^{-\pi\lambda}}+1} \right) d\lambda \end{aligned} \right\}$$

$$= 1 + \frac{\epsilon}{\pi} \int_{-\infty}^0 \ln \left(\frac{\sqrt{1+e^{-\pi\lambda}}-1}{\sqrt{1+e^{-\pi\lambda}}+1} \right) d\lambda$$

$$= 1 + \frac{\epsilon}{\pi} \int_{-\infty}^0 \frac{\lambda\pi d\lambda}{\sqrt{1+e^{-\pi\lambda}}}$$

$$= 1 - \frac{\epsilon}{\pi^2} \int_1^{\infty} \frac{\ln \sigma d\sigma}{\sigma\sqrt{1+\sigma}}$$

$$= 1 - \frac{\epsilon}{\pi^{5/2}} \sum_{n=0}^{\infty} \frac{(-1)^n \Gamma(n+\frac{1}{2})}{n!} \int_1^{\infty} \frac{\ln \sigma d\sigma}{\sigma^{n+(3/2)}}$$

$$= 1 - \frac{\epsilon}{\pi^{5/2}} \sum_{n=0}^{\infty} \frac{(-1)^n \Gamma(n+\frac{1}{2})}{n! (n+\frac{1}{2})^2}$$

$$(3.10) \quad \frac{y_1(0,1;\epsilon)}{a} = 1 - \epsilon(.386) .$$

With this, the first order equation for the upper nappe is

$$\begin{aligned}
\frac{y_1}{a} &= 1 + \frac{\epsilon}{\pi} \operatorname{Re} \int_0^{\xi+i} \ln \left(\frac{\sqrt{1 - e^{-\pi\lambda}} - 1}{\sqrt{1 - e^{-\pi\lambda}} + 1} \right) d\lambda \\
&= 1 + \frac{\epsilon}{\pi} \operatorname{Re} \left\{ \int_0^i \ln \left(\frac{\sqrt{1 - e^{-\pi\lambda}} - 1}{\sqrt{1 - e^{-\pi\lambda}} + 1} \right) d\lambda \right. \\
&\quad \left. + \int_i^{\xi+i} \ln \left(\frac{\sqrt{1 - e^{-\pi\lambda}} - 1}{\sqrt{1 - e^{-\pi\lambda}} + 1} \right) d\lambda \right\} \\
(3.11) \quad \frac{y_1}{a} &= 1 - \epsilon(.386) + \frac{\epsilon}{\pi} \int_0^{\xi} \ln \left(\frac{\sqrt{1 + e^{-\pi\sigma}} - 1}{\sqrt{1 + e^{-\pi\sigma}} + 1} \right) d\sigma .
\end{aligned}$$

The contraction coefficient b/a for the case $\epsilon = 1$ is important because it appears in various formulas for flow measurement when the overfall is used as a metering device in a channel. We cannot expect the approximation (3.10) for the brink depth ratio to be good if ϵ is not small. However, it is interesting to see what it gives if the upstream velocity is critical. If $\epsilon = 1$, (3.10) gives

$$\frac{y_1(0,1;1)}{a} = .614 .$$

This is to be compared with the value

$$\left(\frac{\tilde{b}}{a} \right) = .708$$

which is the average of contraction coefficient values

.715	Rouse	[2]
.705	Southwell and Vaisey	[3]
.720	Jaeger	[4]
.720	Roy	[5]
.710	Fraser	[6]
.676	Hay and Markland	[7]

deduced from various experimental and mathematical approximation procedures different from the one we are using here. Each of the above papers covers the case of critical flow only. It should also be remarked that some of the values in the above table are not approximations to the actual brink depth ratio but are approximations to the stream depth ratio corresponding to $x = \epsilon_b$ where ϵ_b is small. When this is the case the corresponding paper does not contain an estimate of just how small ϵ_b is.

The formula (3.10) for the brink depth ratio can be improved without actually finding the second order approximation f_2 . One way to accomplish this is to replace $f(0, \eta; \epsilon)$ with

$$(3.12) \quad f^*(\eta; \epsilon) = c_0 + c_1(\eta-1) + \frac{c_2}{2} (\eta-1)^2$$

where the coefficients are chosen so that

$$f^*(0; \epsilon) = f(0, 0; \epsilon)$$

$$f_n^*(0; \epsilon) = f_n(0, 0; \epsilon)$$

which are known values; and so that

$$(3.13) \quad f_{\eta}^*(1; \epsilon) = \sqrt{\frac{1 + \epsilon^2 f_{1\xi}^2(0, 1)}{1 - 2\epsilon^2 f_1(0, 1)}} .$$

The right member of (3.13) comes from the boundary condition (2.13), namely,

$$(3.14) \quad f_{\eta}^2(0, 1; \epsilon) = \frac{1 + f_{\xi}^2(0, 1; \epsilon)}{1 + 2\epsilon - 2\epsilon f(0, 1; \epsilon)}$$

after $f(\xi, \eta; \epsilon)$ in the right-hand side of (3.14) is replaced by

$$f(\xi, \eta; \epsilon) = \eta + \epsilon f_1(\xi, \eta) .$$

Using

$$\begin{aligned} f_{1\xi}(0, 1) &= \frac{1}{\pi} \operatorname{Re} \ell n \left(\frac{\sqrt{1 - e^{-\pi\zeta}} - 1}{\sqrt{1 - e^{-\pi\zeta}} + 1} \right) \Big|_{\zeta=i} \\ &= \frac{1}{\pi} \ell n \frac{\sqrt{2} - 1}{\sqrt{2} + 1} \end{aligned}$$

and

$$f_1(0, 1) = -.386$$

a computation of the right side of (3.13) shows

$$f_{\eta}^*(1; \epsilon) = \sqrt{\frac{1 + \epsilon^2(.314)}{1 + \epsilon^2(.772)}} .$$

The value $f_{\eta}(0, 0; \epsilon)$ also comes from (2.13) and it is

$$f_{\eta}(0, 0; \epsilon) = \frac{1}{\sqrt{1+2\epsilon}} .$$

The coefficients in (3.12) are then determined by

$$f^*(0; \epsilon) = c_0 - c_1 + \frac{c_2}{2} = 0 ,$$

$$f_{\eta}^*(0; \epsilon) = c_1 - c_2 = \frac{1}{\sqrt{1+2\epsilon}} ,$$

$$f_{\eta}^*(1; \epsilon) = c_1 = \sqrt{\frac{1 + \epsilon^2(.314)}{1 + \epsilon^2(.772)}}$$

from which the improved approximation to the brink depth ratio is

$$\begin{aligned} f^*(1; \epsilon) &= c_0 = c_1 = \frac{c_2}{2} , \\ &= c_1 - \frac{1}{2} \left[c_1 - \frac{1}{\sqrt{1+2\epsilon}} \right] , \\ &= \frac{1}{2} \left[\frac{1}{\sqrt{1+2\epsilon}} + c_1 \right] , \end{aligned}$$

$$(3.15) \quad f^*(1; \epsilon) = \frac{1}{2} \left[\frac{1}{\sqrt{1+2\epsilon}} + \sqrt{\frac{1 + \epsilon^2(.314)}{1 + \epsilon^2(.772)}} \right] .$$

This result can be expected to be a better approximation, for a wider range of values of ϵ , than the formula (3.10), namely,

$$\frac{y_1(0, 1; \epsilon)}{a} = 1 - \epsilon(.386) .$$

For $\epsilon = .1$ formula (3.10) gives

$$\frac{y_1(0, 1; .1)}{a} = .961$$

while (3.15) gives

$$f^*(1; .1) = .955 .$$

For $\epsilon = .5$ we have

$$\frac{y_1(0,1;.5)}{a} = .807$$

$$f^*(1;.5) = .829 .$$

For $\epsilon = .9$ which means that the flow is supercritical to the extent that $u = \frac{\sqrt{10}}{3} \sqrt{ga} = 1.05 \sqrt{ga}$ we find

$$\frac{y_1(0,1;.9)}{a} = .653$$

$$f^*(1;.9) = .738 .$$

For $\epsilon = 1$, corresponding to critical speed we have

$$\frac{y_1(0,1;1)}{a} = .614$$

while

$$f^*(1;1) = .719 .$$

This last result compares very favorably with the average

$$\left(\frac{\tilde{b}}{a}\right) = .708$$

of brink depth ratios from other sources cited above.

Better approximations can presumably be found by passing to a determination of f_2 but for the time being the results presented above appear to be sufficiently accurate.

References

- [1] Peters, A. S., Supercritical Flow in an Overfall, Courant Inst. of Math. Sciences, IMM 384, Sept. 1970.
- [2] Rouse, H., Discharge Characteristics of the Free Overfall, Civil Engineering, Vol. 6, April 1936, p. 257.
- [3] Southwell, R. V., and Vaisey, G., Relaxation Methods Applied to Engineering Problems: XII, Fluid Motions Characterized by Free Streamlines, Phil. Trans. Roy. Soc. (London), A, Vol. 240 (1946), p. 117.
- [4] Jaeger, C., Hauteur d'eau a l'extremité d'un long déversoir, La Houille Blanche, Vol. 3, part 6 (1948), p. 518.
- [5] Roy, S. K., Note on the Stream Depth at the Edge of a Free Overfall, La Houille Blanche, Vol. 4, part 6 (1949), p. 832.
- [6] Fraser, W. B., Gravity-Deflected Jets in Two-Dimensional Flow, M.E. Thesis, University of Canterbury, N. Z., May 1961.
- [7] Hay, H., and Markland, E., The Determination of the Discharge over Weirs by the Electrolytic Tank, Proc. I.C.E. (London), Vol. 10, May 1958, p. 59.

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) Courant Institute of Mathematical Sciences New York University		2a. REPORT SECURITY CLASSIFICATION not classified	
		2b. GROUP none	
3. REPORT TITLE The Brink Depth of a Supercritical Overfall			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) Technical Report July 1971			
5. AUTHOR(S) (First name, middle initial, last name) Arthur S. Peters			
6. REPORT DATE July 1971		7a. TOTAL NO. OF PAGES 24	7b. NO. OF REFS 7
8a. CONTRACT OR GRANT NO. N00014-67-A-0467-0016		9a. ORIGINATOR'S REPORT NUMBER(S) IMM 390	
b. PROJECT NO. NR 062-160		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report) none	
c.			
d.			
10. DISTRIBUTION STATEMENT Distribution of this document is unlimited.			
11. SUPPLEMENTARY NOTES none		12. SPONSORING MILITARY ACTIVITY Mathematics Branch Office of Naval Research Washington, D.C. 20360	
13. ABSTRACT This report contains a first order analysis of the supercritical flow in an overfall based on the use of the <u>stream line</u> function as the basic dependent variable. It presents approximate equations for the nappes; and the formula			
$f^*(1;\epsilon) = \frac{1}{2} \left[\frac{1}{\sqrt{1+2\epsilon}} + \sqrt{\frac{1+\epsilon^2(.314)}{1+\epsilon^2(.772)}} \right]$			
where			
$\epsilon = \frac{ga}{u^2},$			
g is the gravitational acceleration, a is the upstream depth and u is the velocity there. This formula is a good approximation to the brink depth ratio b/a for the range $0 \leq \epsilon \leq 1$.			

14 KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT

DISTRIBUTION LIST

Technical Library
Building 131
Aberdeen Proving Ground, Maryland 21005

Defense Documentation Center (20)
Cameron Station
Alexandria, Virginia 22314

Technical Library
Naval Ship Research and
Development Center
Annapolis Division
Annapolis, Maryland 21402

Professor Bruce Johnson
Engineering Department
Naval Academy
Annapolis, Maryland 21402

Library
Naval Academy
Annapolis, Maryland 21402

Professor W. P. Graebel
Department of Engineering
Mechanics
The University of Michigan
College of Engineering
Ann Arbor, Michigan 48104

Professor W. R. Debler
Department of Engineering Mechanics
University of Mechanics
Ann Arbor, Michigan 48108

Dr. Francis Ogilvie
Department of Naval Architecture
and Marine Engineering
University of Michigan
Ann Arbor, Michigan 48108

Professor S. D. Sharma
Department of Naval Architecture
and Marine Engineering
University of Michigan
Ann Arbor, Michigan 48108

Professor W. W. Willmarth
Department of Aerospace Engineering
University of Michigan
Ann Arbor, Michigan 48108

Professor Finn C. Michelsen
Naval Architecture and Marine
Engineering
445 West Engineering Bldg.
University of Michigan
Ann Arbor, Michigan 48104

AFOSR (REM)
11400 Wilson Boulevard
Arlington, Virginia 22204

Dr. J. Menkes
Institute for Defense Analyses
400 Army-Navy Drive
Arlington, Virginia 22204

Professor S. Corrsin
Mechanics Department
The Johns Hopkins University
Baltimore, Maryland 20910

Professor L. S. G. Kovasznay
The Johns Hopkins University
Baltimore, Maryland 20910

Librarian
Department of Naval Architecture
University of California
Berkeley, California 94720

Professor P. Lieber
Department of Mechanical Engineering
University of California
Institute of Engineering Research
Berkeley, California 94720

Professor M. Holt
Division of Aeronautical Sciences
University of California
Berkeley, California 94720

Professor J. V. Wehausen
Department of Naval Architecture
University of California
Berkeley, California 94720

Professor J. R. Paulling
Department of Naval Architecture
University of California
Berkeley, California 94720

Professor E. V. Laitone
Department of Mechanical Engineering
University of California
Berkeley, California 94720

School of Applied Mathematics
Indiana University
Bloomington, Indiana 47401

Commander
Boston Naval Shipyard
Boston, Massachusetts 02129

Director
Office of Naval Research
Branch Office
495 Summer Street
Boston, Massachusetts 02210

Professor M. S. Uberoi
Department of Aeronautical Engineering
University of Colorado
Boulder, Colorado 80303

Naval Applied Science Laboratory
Technical Library
Bldg. 1 Code 222
Flushing and Washington Avenues
Brooklyn, New York 11251

Professor J. J. Foody
Chairman, Engineering Department
State University of New York
Maritime College
Bronx, New York 10465

Dr. Irving C. Statler, Head
Applied Mechanics Department
Cornell Aeronautical Laboratory, Inc.
P. O. Box 235
Buffalo, New York 14221

Professor G. Birkhoff
Department of Mathematics
Harvard University
Cambridge, Massachusetts 02138

Commanding Officer
NROTC Naval Administrative Unit
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139

Professor N. Newman
Department of Naval Architecture and
Marine Engineering
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139

Professor A. H. Shapiro
Department of Mechanical Engineering
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139

Professor C. C. Lin
Department of Mathematics
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139

Professor E. W. Merrill
Department of Mathematics
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139

Professor M. A. Abkowitz
Department of Naval Architecture
and Marine Engineering
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139

Professor G. H. Carrier
Department of Engineering and
Applied Physics
Harvard University
Cambridge, Massachusetts 02139

Professor E. Moilto-Christensen
Room 54-1722
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139

Professor A. T. Ippen
Department of Civil Engineering
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139

Commander
Charleston Naval Shipyard
U. S. Naval Base
Charleston, South Carolina 29408

A. R. Kuhlthau, Director
Research Laboratories for the
Engineering Sciences
Thorton Hall, University of Virginia
Charlottesville, Virginia 22903

Director
Office of Naval Research
Branch Office
219 Dearborn Street
Chicago, Illinois 60604

Library
Naval Weapons Center
China Lake, California 93557

Library MS 60-3
NASA Lewis Research Center
21000 Brookpark Road
Cleveland, Ohio 44135

Professor J. M. Burgers
Institute of Fluid Dynamics and
Applied Mathematics
University of Maryland
College Park, Maryland 20742

Acquisition Director
NASA Scientific & Technical
Information
P. O. Box 33
College Park, Maryland 20740

Professor Pai
Institute for Fluid Dynamics
and Applied Mathematics
University of Maryland
College Park, Maryland 20740

Technical Library
Naval Weapons Laboratory
Dahlgren, Virginia 22448

Computation & Analyses Laboratory
Naval Weapons Laboratory
Dahlgren, Virginia 22448

Professor C. S. Wells
LTV Research Center
Dallas, Texas 75222

Dr. R. H. Kraichnan
Dublin, New Hampshire 03444

Commanding Officer
Army Research Office
Box CM, Duke Station
Durham, North Carolina 27706

Professor A. Charnes
The Technological Institute
Northwestern University
Evanston, Illinois 60201

Dr. Martin H. Bloom
Polytechnic Institute of Brooklyn
Graduate Center, Dept. of Aerospace
Engineering and Applied Mechanics
Farmingdale, New York 11735

Technical Documents Center
Building 315
U. S. Army Mobility Equipment
Research and Development Center
Fort Belvoir, Virginia 22060

Professor J. E. Cermak
College of Engineering
Colorado State University
Ft. Collins, Colorado 80521

Technical Library
Webb Institute of Naval Architecture
Glen Cove, Long Island, New York 11542

Professor E. V. Lewis
Webb Institute of Naval Architecture
Glen Cove, Long Island, New York 11542

Library MS 185
NASA, Langley Research Center
Langley Station
Hampton, Virginia 23365

Dr. B. N. Pridmore Brown
Northrop Corporation
NORAIR-Div.
Hawthorne, California 90250

Dr. J. P. Breslin
Stevens Institute of Technology
Davidson Laboratory
Hoboken, New Jersey 07030

Mr. D. Savitsky
Stevens Institute of Technology
Davidson Laboratory
Hoboken, New Jersey 07030

Mr. C. H. Henry
Stevens Institute of Technology
Davidson Laboratory
Hoboken, New Jersey 07030

Professor J. F. Kennedy, Director
Iowa Institute of Hydraulic Research
State University of Iowa
Iowa City, Iowa 52240

Professor L. Landweber
Iowa Institute of Hydraulic Research
State University of Iowa
Iowa City, Iowa 52240

Professor E. L. Resler
Graduate School of
Aeronautical Engineering
Cornell University
Ithaca, New York 14851

Professor John Miles
% I.G.P.P.
University of California, San Diego
La Jolla, California 92038

Director
Scripps Institution of Oceanography
University of California
La Jolla, California 92037

Dr. B. Sternlicht
Mechanical Technology Incorporated
968 Albany-Shaker Road
Latham, New York 12110

Mr. P. Eisenberg, President
Hydronautics
Pindell School Road
Howard County
Laurel, Maryland 20810

Professor A. Ellis
University of California, San Diego
Department of Aerospace & Mech. Engrg. Sci.
La Jolla, California 92037

Mr. Alfonso Alcedan L. Director
Laboratorio Nacional De Hydraulics
Antigui Cameno A. Ancon
Casilla Jostal 682
Lima, Peru

Commander
Long Beach Naval Shipyard
Long Beach, California 90802

Professor John Laufer
Department of Aerospace Engineering
University Park
Los Angeles, California 90007

Professor J. Ripkin
St. Anthony Falls Hydraulic Lab.
University of Minnesota
Minneapolis, Minnesota 55414

Professor J. M. Killen
St. Anthony Falls Hydraulic Lab.
University of Minnesota
Minneapolis, Minnesota 55414

Lorenz G. Straub Library
St. Anthony Falls Hydraulic Lab.
Mississippi River at 3rd Avenue SE.
Minneapolis, Minnesota 55414

Dr. E. Silberman
St. Anthony Falls Hydraulic Lab.
University of Minnesota
Minneapolis, Minnesota 55414

Superintendent
Naval Postgraduate School
Library Code 0212
Monterey, California 93940

Professor A. B. Metzner
University of Delaware
Newark, New Jersey 19711

Technical Library
USN Underwater Weapons &
Research & Engineering Station
Newport, Rhode Island 02840

Technical Library
Underwater Sound Laboratory
Fort Trumbull
New London, Connecticut 06321

Professor J. J. Stoker
Institute of Mathematical Sciences
New York University
251 Mercer Street
New York, New York 10003

Engineering Societies Library
345 East 47th Street
New York, New York 10017

Office of Naval Research
New York Area Office
207 W. 24th Street
New York, New York 10011

Professor H. Elrod
Department of Mechanical Engineering
Columbia University
New York, New York 10027

Society of Naval Architects and
Marine Engineering
74 Trinity Place
New York, New York 10006

Professor S. A. Piascek
Department of Engineering Mechanics
University of Notre Dame
Notre Dame, Indiana 46556

Miss O. M. Leach, Librarian
National Research Council
Aeronautical Library
Montreal Road
Ottawa 7, Canada

Technical Library
Naval Ship Research and
Development Center
Panaman City, Florida 32401

Library
Jet Propulsion Laboratory
California Institute of Technology
4800 Oak Grove Avenue
Pasadena, California 91109

Professor M. S. Plesset
Engineering Division
California Institute of Technology
Pasadena, California 91109

Professor H. Liepmann
Department of Aeronautics
California Institute of Technology
Pasadena, California 91109

Technical Library
Naval Undersea Warfare Center
3202 E. Foothill Boulevard
Pasadena, California 91107

Dr. J. W. Hoyt
Naval Undersea Warfare Center
3202 E. Foothill Boulevard
Pasadena, California 91107

Professor T. Y. Wu
Department of Engineering
California Institute of Technology
Pasadena, California 91109

Director
Office of Naval Research
Branch Office
1030 E. Green Street
Pasadena, California 91101

Professor A. Acosta
Department of Mechanical Engineering
California Institute of Technology
Pasadena, California 91109

Naval Ship Engineering Center
Philadelphia Division
Technical Library
Philadelphia, Pennsylvania 19112

Technical Library (Code 249B)
Philadelphia Naval Shipyard
Philadelphia, Pennsylvania 19112

Professor R. C. Mac Camy
Department of Mathematics
Carnegie Institute of Technology
Pittsburgh, Pennsylvania 15213

Dr. Paul Kaplan
Oceanics, Inc.
Plainview, Long Island, New York 11803

Technical Library
Naval Missile Center
Point Mugu, California 93441

Technical Library
Naval Civil Engineering Lab.
Port Hueneme, California 93041

Commander
Portsmouth Naval Shipyard
Portsmouth, New Hampshire 03801

Commander
Norfolk Naval Shipyard
Portsmouth, Virginia 23709

Professor F. E. Bisshopp
Division of Engineering
Brown University
Providence, Rhode Island 02912

Dr. L. L. Higgins
TRW Space Technology Labs, Inc.
One Space Park
Redondo Beach, California 90278

Redstone Scientific Information Center
Attn: Chief, Document Section
Army Missile Command
Redstone Arsenal, Alabama 35809

Dr. H. N. Abramson
Southwest Research Institute
8500 Culebra Road
San Antonio, Texas 78228

Editor
Applied Mechanics Review
Southwest Research Institute
8500 Culebra Road
San Antonio, Texas 78206

Librarian
Naval Command Control Communications
Laboratory Center
San Diego, California 92152

Library & Information Services
General Dynamics-Convair
P. O. Box 1128
San Diego, California 92112

Commander (Code 246P)
Pearl Harbor Naval Shipyard
Box 400
FPO San Francisco, California 96610

Technical Library (Code H245C-3)
Hunters Point Division
San Francisco Bay Naval Shipyard
San Francisco, California 94135

Dr. A. Maj
Naval Ordnance Laboratory
White Oak
Silver Spring, Maryland 20910

Fenton Kennedy Document Library
The Johns Hopkins University
Applied Physics Laboratory
8621 Georgia Avenue
Silver Spring, Maryland 20910

Librarian
Naval Ordnance Laboratory
White Oak
Silver Spring, Maryland 20910

Dr. Bryne Perry
Department of Civil Engineering
Stanford University
Stanford, California 94305

Professor Milton Van Dyke
Department of Aeronautical Engineering
Stanford University
Stanford, California 94305

Professor E. Y. Hsu
Department of Civil Engineering
Stanford University
Stanford, California 94305

Dr. R. L. Street
Department of Civil Engineering
Stanford University
Stanford, California 94305

Professor S. Eskinazi
Department of Mechanical Engineering
Syracuse University
Syracuse, New York 13210

Professor R. Pfeffer
Florida State University
Geophysical Fluid Dynamics Institute
Tallahassee, Florida 32306

Professor J. Foa
Department of Aeronautical Engineering
Rennselaer Polytechnic Institute
Troy, New York 12180

Professor R. C. Di Prima
Department of Mathematics
Rennselaer Polytechnic Institute
Troy, New York 12180

Dr. M. Sevik
Ordnance Research Laboratory
Pennsylvania State University
University Park, Pennsylvania 16801

Professor J. Lumley
Ordnance Research Laboratory
Pennsylvania State University
University Park, Pennsylvania 16801

Dr. J. M. Robertson
Department of Theoretical and
Applied Mechanics
University of Illinois
Urbana, Illinois 61803

Shipyard Technical Library
Code 130L7 Building 746
San Francisco Bay Naval Shipyard
Vallejo, California 94592

Code 142
Naval Ship Research and
Development Center
Washington, D.C. 20007

Code 800
Naval Ship Research and
Development Center
Washington, D.C. 20007

Code 2027
U. S. Naval Research Laboratory
Washington, D.C. 20390

Code 438
Chief of Naval Research
Department of the Navy
Washington, D.C. 20360

Code 513
Naval Ship Research and
Development Center
Washington, D.C. 20007

Science & Technology Division
Library of Congress
Washington, D.C. 20540

ORD 913 (Library)
Naval Ordnance Systems Command
Washington, D.C. 20360

Code 6420
Naval Ship Engineering Center
Concept Design Division
Washington, D.C. 20360

Code 500
Naval Ship Research and
Development Center
Washington, D.C. 20007

Code 901
Naval Ship Research and
Development Center
Washington, D.C. 20007

Code 520
Naval Ship Research and
Development Center
Washington, D.C. 20007

Code 0341
Naval Ship Systems Command
Department of the Navy
Washington, D.C. 20360

Code 2052 (Technical Library)
Naval Ship Systems Command
Department of the Navy
Washington, D.C. 20360

Mr. J. L. Schuler (Code 03412)
Naval Ship Systems Command
Department of the Navy
Washington, D.C. 20360

(3)

(6)

Dr. J. H. Huth (Code 031)
Naval Ship Systems Command
Department of the Navy
Washington, D.C. 20360

Code 461
Chief of Naval Research
Department of the Navy
Washington, DC. 20360

Code 530
Naval Ship Research and
Development Center
Washington, D.C. 20360

Code 466
Chief of Naval Research
Department of the Navy
Washington, D.C. 20360

Office of Research and Development
Maritime Administration
441 G. Street, NW.
Washington, D.C. 20235

Code 463
Chief of Naval Research
Department of the Navy
Washington, D.C. 20360

National Science Foundation
Engineering Division
1800 G. Street, NW.
Washington, D.C. 20550

Dr. G. Kulin
National Bureau of Standards
Washington, D.C. 20234

Department of the Army
Coastal Engineering Research Center
5201 Little Falls Road, NW.
Washington, D.C. 20011

Code 521
Naval Ship Research and
Development Center
Washington, D.C. 20007

Code 481
Chief of Naval Research
Department of the Navy
Washington, D.C. 20390

Code 421
Chief of Naval Research
Department of the Navy
Washington, D.C. 20360

Commander
Naval Ordnance Systems Command
Code ORD 035
Washington, D.C. 20360

Librarian Station 5-2
Coast Guard Headquarters
1300 E. Street, NW.
Washington, D.C. 20226

Division of Ship Design
Maritime Administration
441 G. Street, NW.
Washington, D.C. 20235

HQ USAF (AFRSTD)
Room 1D 377
The Pentagon
Washington, D.C. 20330

Commander
Naval Ship Systems Command
Code 6644C
Washington, D.C. 20360

Code 525
Naval Ship Research and
Development Center
Washington, D.C. 20007

Dr. A. Powell (Code 01)
Naval Ship Research and
Development Center
Washington, D.C. 20007

Director of Research Code RR
National Aeronautics & Space Admin.
600 Independence Avenue, SW.
Washington, D.C. 20546

Commander
Naval Ordnance Systems Command
Code 03
Washington, D.C. 20360

Code ORD 05411
Naval Ordnance Systems Command
Washington, D.C. 20360

AIR 5301
Naval Air Systems Command
Department of the Navy
Washington, D.C. 20360

AIR 604
Naval Air Systems Command
Department of the Navy
Washington, D.C. 20360

Dr. John Craven (PM1100)
Deep Submergence Systems
Project
Department of the Navy
Washington, D.C. 20360

Code 522
Naval Ship Research and
Development Center
Washington, D.C. 20007

Commander
Naval Oceanographic Office
Washington, D.C. 20390

Chief of Research and Development
Office of Chief of Staff
Department of the Army
The Pentagon
Washington, D.C. 20310

Code 6342A
Naval Ship Systems Command
Department of the Navy
Washington, D.C.

Code 468
Chief of Naval Research
Department of the Navy
Washington, D.C. 20360

Director
U.S. Naval Research Laboratory
Code 6170
Washington, D.C. 20390

Code 473
Chief of Naval Research
Department of the Navy
Washington, D.C. 20360

Code 6100
Naval Ship Engineering Center
Department of the Navy
Washington, D.C. 20360

Mr. Ralph Lacey (Code 6114)
Naval Ship Engineering Center
Department of the Navy
Washington, D.C. 20360

Dr. H. Cohen
IBM Research Center
P. O. Box 218
Yorktown Heights, New York 10598

Director (25)
Naval Research Lab.
Code 2029 (ONR2)
Washington, D.C. 20390
Attn: Library

Stanford University
Department of Mathematics
Stanford, California

Office of Naval Research (2)
Department of the Navy (Code 432)
Washington, D.C. 20360

Office of Naval Research
San Francisco Area
50 Fell Street
San Francisco, California 94102

Library (2)
Courant Institute of Mathematical
Sciences
New York University
New York, New York 10012

Science Library
New York University
Brown 120
New York, New York 10012

Prof. O. M. Phillips
The Johns Hopkins University
Baltimore, Md. 20910

